



PUBLIC ADMIN API

V1.1.2

[Introduction](#)

[Generate API token](#)

[API calls](#)

[General rules](#)

[OFFER API](#)

[OFFER Retrieval API Request \(to be deprecated\)](#)

[FILTERING OFFER OUTPUT](#)

[Offer listing retrieval](#)

[Offer details retrieval](#)

[SCHEDULER API](#)

[Scheduler listing retrieval](#)

[Scheduler details retrieval](#)

[Request](#)

[Response](#)

[New scheduler entry](#)

[Example](#)

[Request](#)

[Response](#)

[Update scheduler](#)

[Delete scheduler](#)

[STATISTIC API](#)

[Retrieve Publisher Statistics](#)


Introduction

This public API is designed to be offered to public offer listing sites like OfferVault, etc. to promote offers and attract publishers with suitable targeting, verticals and payout rates. The API is publicly available but requires a secure API key to access the offers. The API returns data in commonly used JSON format, easy to integrate to offer listing websites.


UCLIQ offer management API allows access to the existing offers, changing their properties, goals and payout values, add new items and schedule changes at certain times.

Generate API token

Before sharing the API link with an offer listing website, you need to generate a secure “Read-Only” token. You can do it in Manager Platform by going into System-Control Center-Platform-API Tokens menu and clicking on +Add token.



Select only the read permission and comment on the token usage. Make sure it is enabled.



Click on Save and copy the token into the clipboard.

Save the token securely.

API calls

General rules

- All GET or POST requests require an Authentication token with Read/Write permission.
- All POST, PATCH, DELETE requests require an Authentication token with Write permission
- Archived offers, goals and payout cannot be retrieved or changed

OFFER API

OFFER Retrieval API Request (to be deprecated)

The API request is a HTTP-Get command that contains the URL to your public management platform address with additional path /customer/v1/offers.


For example:

<https://demoadmin.ucliq.com/manager/customer/v1/offers>

In order for the request to work, you will need to pass a special HTTP header parameter **X-AUTH-TOKEN** with a value of the API token you created previously.

For testing you may use a free account at postman.co service.


For example:



The resulting output will contain JSON response with all your offer details. for example:



Each offer will return following fields:



```


        "country": [
            "XX"
        ],
        "denied_country": []
    },
    - permitted countries, list
    - denied country list

```

FILTERING OFFER OUTPUT

It is possible to filter the list of offers returned by the API. To do this create a specific tag to filter the offers and assign this tag to offers you would like to return via API.

Then the request will look like this:



You simply need to add a parameter `&tag[]=...` to the URL and put a value of the tag you want to use.

Then, only the offers containing this tag will be returned.

```

[
  {
    "id": 4,
    "title": "Demo Offer - Cumulative",
    "description": "",
    "restrictions": "",
    "currency": "USD",
    "payout": "$50",
    "type": "",
    "preview_url": "",
    "vertical": [
      "Demo X",
      "Demo Gambling",
      "Demo Financial"
    ],
    "country": [
      "XX"
    ],
    "denied_country": []
  }
]

```

```
},
{
  "id": 12,
  "title": "Demo Offer - Cumulative 2",
  "description": "",
  "restrictions": "",
  "currency": "USD",
  "payout": "$50",
  "type": "",
  "preview_url": "",
  "vertical": [
    "Demo X",
    "Demo Gambling",
    "Demo Financial"
  ],
  "country": [],
  "denied_country": [
    "RU",
    "MD",
    "KZ",
    "BY"
  ]
},
{
  "id": 14,
  "title": "Demo Offer - Cumulative 2 + Sub",
  "description": "",
  "restrictions": "",
  "currency": "USD",
  "payout": "$50",
  "type": "",
  "preview_url": "",
  "vertical": [
    "Demo X",
    "Demo Financial",
    "Demo Gambling"
  ],
  "country": [],
  "denied_country": [
    "BY",
    "KZ",
    "MD",
```

```

    "RU"
  ]
}
]

```

This list corresponds to offers for which the tag was set:

Offers

Search by ID, name, description, comment, links URL

Refresh

New offer

Launch campaign

Offers

Campaigns

Cards

Grid

Test X

Reset

Filters (1)

Offer	Main category	Countries	Settings	Last 7 days performance	ROI
☐ #31 Bima Smak Ad Account #1 Test Super	Test category				0%
☐ #14 Demo Offer - Cumulative 2 + Sub Demo Account 2 Super Test Super	Demo X				-17%
☐ #12 Demo Offer - Cumulative 2 Demo Account 2 Super Test Super	Demo X				45%
☐ #4 Demo Offer - Cumulative Demo Account 2 Super Test Super	Demo X				58%

Offer listing retrieval

General route: *GET /manager/api/customer/v1/offers*

Request header: *X-AUTH-TOKEN*

Response example:

```

[
  {
    "id": 1,
    "title": "Demo Offer - Ratio",
    "description": "<html>\n<head>\n\t<title></title>\n</head>\n<body>\n<p><span\nstyle=\"font-size:14px;\"><span\nstyle=\"font-family:Verdana,Geneva,sans-serif;\">Promote our Ultimate Credit Repair\nservice, designed to help individuals improve their credit scores quickly and\neffectively. Our service is backed by a money-back guarantee, providing customers with\npeace of mind. Target individuals looking to repair their credit and benefit from our\nhigh payouts and reliable tracking.</span></span><br\n/>\n\n<p>\n</body>\n</html>\n",
    "restrictions": "No incentivized traffic. \nNo fraudulent activity. ",
    "currency": "USD",
    "payout": "$7.00",
    "type": "",
    "preview_url": "",
    "vertical": [

```

```
        "Demo BizOps",
        "Demo Ecommerce"
    ],
    "country": [],
    "denied_country": [
        "IN",
        "KH",
        "LA",
        "TH"
    ]
},
{
    "id": 4,
    "title": "Demo Offer - Cumulative",
    "description": "<html>\n<head>\n\t<title></title>\n</head>\n<body>\n<p><span\nstyle=\"font-size:14px;\"><span\nstyle=\"font-family:Verdana,Geneva,sans-serif;\"><strong>Target Countries</strong>:\nAT/DE/CZ</span></span></p>\n\n<p><span style=\"font-size:14px;\"><span\nstyle=\"font-family:Verdana,Geneva,sans-serif;\"><strong>Allowed Traffic\nTypes</strong>: SEO/Email</span></span></p>\n\n<p><span\nstyle=\"font-size:14px;\"><span\nstyle=\"font-family:Verdana,Geneva,sans-serif;\"><strong>Benefits</strong>:</span></sp\nan></p>\n\n<ul>\n\n\t<li>\n\t\t<p><span style=\"font-size:14px;\"><span\nstyle=\"font-family:Verdana,Geneva,sans-serif;\">Competitive $10&nbsp;payout per\nsale</span></span></p>\n\t\t</li>\n\t\t<li>\n\t\t\t<p><span style=\"font-size:14px;\"><span\nstyle=\"font-family:Verdana,Geneva,sans-serif;\">High-converting landing\npages</span></span></p>\n\t\t\t</li>\n\t\t\t<li>\n\t\t\t\t<p><span style=\"font-size:14px;\"><span\nstyle=\"font-family:Verdana,Geneva,sans-serif;\">Dedicated affiliate\nsupport</span></span></p>\n\t\t\t\t</li>\n\t\t\t\t<li>\n\t\t\t\t\t<p><span style=\"font-size:14px;\"><span\nstyle=\"font-family:Verdana,Geneva,sans-serif;\">Real-time tracking and\nreporting</span></span></p>\n\t\t\t\t\t</li>\n\t\t\t\t\t<li>\n\t\t\t\t\t\t<p><span\nstyle=\"font-size:14px;\"><span\nstyle=\"font-family:Verdana,Geneva,sans-serif;\">Attractive, approved creatives\navailable</span></span></p>\n\t\t\t\t\t\t</li>\n\t\t</ul>\n\n</body>\n</html>\n",
    "restrictions": "No incentivized traffic.\nNo fraudulent activity.\nNo use of\nmisleading or false advertising.",
    "currency": "USD",
    "payout": "$10.00",
    "type": "",
    "preview_url": "",
    "vertical": [
        "Demo X",
```



```

        "Demo Financial",
        "Demo Gambling"
    ],
    "country": [
        "AT",
        "CZ",
        "DE"
    ],
    "denied_country": []
},
{
    "id": 34,
    "title": "Demo Offer    - Ratio 2",
    "description": "<html>\n<head>\n\t<title></title>\n</head>\n<body>\n<p><span
style=\"font-size:14px;\"><span
style=\"font-family:Verdana,Geneva,sans-serif;\">Promote our Ultimate Credit Repair
service,designed to help individuals improve their credit scores quickly and
effectively. Our service is backed by a money-back guarantee, providing customers with
peace of mind. Target individuals looking to repair their credit and benefit from our
high payouts and reliable tracking.</span></span><br
/>\n&nbsp;</p>\n</body>\n</html>\n",
    "restrictions": "No incentivized traffic. \nNo fraudulent activity. ",
    "currency": "USD",
    "payout": "$9.00",
    "type": "",
    "preview_url": "",
    "vertical": [
        "Demo BizOps",
        "Demo Ecommerce"
    ],
    "country": [],
    "denied_country": [
        "IN",
        "KH",
        "LA",
        "TH"
    ]
}
]

```

Offer details retrieval

General route: *GET /manager/api/customer/v1/offers/{OfferId}*

Request header: *X-AUTH-TOKEN*

Response example:

```
{
  "id": 2,
  "title": "Demo Commerce - Fixed",
  "description": "",
  "restrictions": "No incentivized traffic. No fraudulent activity. No use of misleading or false advertising.",
  "currency": "USD",
  "payout": "$2.89",
  "type": "",
  "preview_url": "",
  "vertical": [
    "Demo Ecommerce"
  ],
  "country": [
    "DE",
    "DK",
    "SE"
  ],
  "denied_country": [],
  "goals": [
    {
      "@context": "/manager/api/contexts/OfferGoal",
      "@id": "/manager/api/offer_goals/29",
      "@type": "OfferGoal",
      "id": 14532,
      "title": "PPL",
      "rates": [
        {
          "@id": "/manager/api/offer_goal_rates/53",
          "@type": "OfferGoalRate",
          "countries": [
            {
              "@id": "/manager/api/countries/UK",
              "@type": "Country",
              "code": "UK",
              "name": "United Kingdom"
            }
          ]
        }
      ]
    }
  ],
}
```



```

        "@type": "Publisher",
        "username": "blue"
    },
    ],
    "subSources": [],
    "publisherPayout": 4,
    "defaultAmount": 0
},
{
    "@id": "/manager/api/offer_goal_rates/55",
    "@type": "OfferGoalRate",
    "countries": [],
    "devices": [],
    "publishers": [
        {
            "@id": "/manager/api/publishers/2",
            "@type": "Publisher",
            "username": "yellow"
        }
    ],
    "subSources": [
        {
            "@id": "/manager/api/offer_goal_rate_sub_sources/3",
            "@type": "OfferGoalRateSubSource",
            "subSource": "fb",
            "publisherPayout": 5.5
        },
        {
            "@id": "/manager/api/offer_goal_rate_sub_sources/4",
            "@type": "OfferGoalRateSubSource",
            "subSource": "track",
            "publisherPayout": 4
        }
    ],
    "publisherPayout": 5,
    "defaultAmount": 0
}
],
"publisherPayout": 4.5,
"defaultAmount": 0
}
]

```

```

}

{
  "id": 1,                                - public offer id
  "title": "Demo Offer 1 ratio",          - offer title visible to publishers
  "description": "",                      - HTML offer description
  "restrictions": "",                     - list of restrictions as a text
  "currency": "USD",                     - offer payout currency
  "payout": "$10.1",                     - payout you configure in the offer
  General tab (declarative value), can be text, range of payouts etc.
  "type": "",                             - offer type
  "preview_url": "",                     - offer preview URL (currently not
supported)
  "vertical": [                           - offer verticals (one or several)
    "Demo BizOps",
    "Demo Ecommerce"
  ],
  "country": [                             - permitted countries, list
(targeting) (XX-all)
    "XX"
  ],
  "denied_country": []                    - denied country list
},

```

Specific goal details are presented in the following format, including a new “rates” section listing custom rates for various targeting properties and subsources:

```

{
  "@context": "/manager/api/contexts/OfferGoal",
  "@id": "/manager/api/offer_goals/9457",
  "@type": "OfferGoal",
  "id": 10451,
  "title": "test1",
  "rates": [
    {
      "@id": "/manager/api/offer_goal_rates/45",
      "@type": "OfferGoalRate",
      "countries": [],
      "devices": [],
      "publishers": [
        {
          "@id": "/manager/api/publishers/81583",
          "@type": "Publisher",
          "username": "besafatausersafzxvafs"
        }
      ],
      "subSources": [
        {
          "@id": "/manager/api/offer_goal_rate_sub_sources/20",
          "@type": "OfferGoalRateSubSource",
          "subSource": "13",
          "publisherPayout": 5
        },
        {
          "@id": "/manager/api/offer_goal_rate_sub_sources/19",
          "@type": "OfferGoalRateSubSource",
          "subSource": "12",
          "publisherPayout": 1010
        }
      ],
      "publisherPayout": 1010,
      "defaultAmount": 1004
    }
  ],
  "publisherPayout": 1011,
  "defaultAmount": 1004
}

```

Goal fields now contain values:

- publisherPayout (instead of payoutValue) - default payout to publishers for this particular goal
- defaultAmount - default conversion amount, when the sum field is not present in postback parameters

OFFER RATE SCHEDULER API

Scheduler listing retrieval

General route: *GET /manager/api/customer/v1/offer_goal_schedulers*

Request header: *X-AUTH-TOKEN*

Unset

```
{
  "@context": "/manager/api/contexts/OfferGoalScheduler",
  "@id": "/manager/api/customer/v1/offer_goal_schedulers",
  "@type": "hydra:Collection",
  "hydra:totalItems": 2,
  "hydra:member": [
    {
      "@id": "/manager/api/customer/v1/offer_goal_schedulers/3",
      "@type": "OfferGoalScheduler",
      "id": 3,
      "status": -1,
      "value": 40,
      "publisherPayout": 40,
      "updatedAtDatetime": "2024-08-05T20:47:12.890+0200"
    },
    {
      "@id": "/manager/api/customer/v1/offer_goal_schedulers/1",
      "@type": "OfferGoalScheduler",
      "id": 1,
      "status": -1,
      "value": 20,
      "publisherPayout": 20,
      "updatedAtDatetime": "2024-08-05T19:03:12.890+0200"
    }
  ]
}
```

Scheduler details retrieval

General route: *GET /manager/api/customer/v1/offer_goal_schedulers/{id}*

Request header: *X-AUTH-TOKEN*

Response body:

Unset

```
{
  "@context": "/manager/api/contexts/OfferGoalScheduler",
  "@id": "/manager/api/customer/v1/offer_goal_schedulers/2",
  "@type": "OfferGoalScheduler",
  "id": 2,
  "offerGoal": {
    "@id": "/manager/api/offer_goals/39",
    "@type": "OfferGoal",
    "offer": {
      "@id": "/manager/api/offers/4036",
      "@type": "Offer",
      "displayName": "Test Offer 1"
    },
    "title": "test 2"
  },
  "status": 1,
  "publisherPayout": 2,
  "updateAtDatetime": "2025-01-02T00:59:59.000+0300"
}
```

Example

Request

https://demoadmin.ucliq.com/manager/api/customer/v1/offer_goal_schedulers/12

Response

```
{
  "@context": "/manager/api/contexts/OfferGoalScheduler",
  "@id": "/manager/api/customer/v1/offer_goal_schedulers/12",
  "@type": "OfferGoalScheduler",
  "id": 12,
  "offerGoal": {
```



```

    "@id": "/manager/api/offer_goals/31",
    "@type": "OfferGoal",
    "offer": {
      "@id": "/manager/api/offers/2",
      "@type": "Offer",
      "displayName": "Demo Commerce - Fixed"
    },
    "title": "Deposit"
  },
  "offerGoalRate": {
    "@id": "/manager/api/offer_goal_rates/55",
    "@type": "OfferGoalRate",
    "defaultSaleValue": 0,
    "payoutValue": 5,
    "countries": [],
    "devices": [],
    "publishers": [
      {
        "@id": "/manager/api/publishers/2",
        "@type": "Publisher",
        "username": "yellow"
      }
    ]
  },
  "offerGoalRateSubSource": {
    "@id": "/manager/api/offer_goal_rate_sub_sources/3",
    "@type": "OfferGoalRateSubSource",
    "subSource": "fb",
    "payoutValue": 5.5
  },
  "status": 1,
  "publisherPayout": 2.22,
  "updateAtDatetime": "2024-09-01T23:59:59.000+0200"
}

```

New scheduler entry

General route: *POST /manager/api/customer/v1/offer_goal_schedulers*

Request header: X-AUTH-TOKEN

Request body:

Unset

```
{
  "offerGoal": "/manager/api/offer_goals/31", - Offer Goal IRI (only include if default goal amount and
  payout to be changed)
  "offerGoalRate": "/manager/api/offer_goal_rates/55", - Offer Goal Rate IRI (only include if goal
  custom rate amount and payout to be changed)
  "offerGoalRateSubSource": "/manager/api/offer_goal_rate_sub_sources/4", - SubSource Rate IRI (only
  include if goal custom subsource rate amount and payout to be changed)
  "publisherPayout": 5.55, - new publisher payout value
  "defaultAmount": 7.55, - new default conversion amount
  "updateAtDatetime": "2024-09-01T23:59:59.000+02:00" - when to launch the scheduler and update the
  rate
}
```

You can select following items to configure the scheduler to change rates:

- `offerGoal`
- `offerGoalRate`
- `offerGoalRateSubSource`

To change the default Sale and Payout for the Goal, you only need to specify the `offerGoal` parameter.

To change only the specific goal rate, you need to specify only the Rate.

To change the specific sub source rate, you need to specify the Sub source rate.

If you specify multiple entities, the defined default amount and payout rate will be applied to all of them.

The IRI should be taken from the offer goal listing response.


Offer Goal scheduler can pass both `publisherPayout` and `defaultAmount` values to be changed by scheduler.

`OfferGoalRate` and `OfferGoalRateSubsource` can only change `publisherPayout` values.

Example

Changing the subsource rate with the following request.

Request



```
{
  "offerGoal": "/manager/api/offer_goals/31",
  "offerGoalRate": "/manager/api/offer_goal_rates/55",
  "offerGoalRateSubSource": "/manager/api/offer_goal_rate_sub_sources/4",
  "publisherPayout": 5.55,
  "updateAtDatetime": "2024-09-01T23:59:59.000+02:00"
}
```

Response

```
{
  "@context": "/manager/api/contexts/OfferGoalScheduler",
  "@id": "/manager/api/customer/v1/offer_goal_schedulers/7",
  "@type": "OfferGoalScheduler",
  "id": 7,
  "offerGoal": {
    "@id": "/manager/api/offer_goals/31",
    "@type": "OfferGoal",
    "offer": {
      "@id": "/manager/api/offers/2",
      "@type": "Offer",
      "displayName": "Demo Commerce - Fixed"
    }
  },
}
```

```

    "title": "Deposit"
  },
  "offerGoalRate": {
    "@id": "/manager/api/offer_goal_rates/55",
    "@type": "OfferGoalRate",
    "defaultSaleValue": 0,
    "payoutValue": 5,
    "countries": [],
    "devices": [],
    "publishers": [
      {
        "@id": "/manager/api/publishers/2",
        "@type": "Publisher",
        "username": "yellow"
      }
    ]
  },
  "offerGoalRateSubSource": {
    "@id": "/manager/api/offer_goal_rate_sub_sources/4",
    "@type": "OfferGoalRateSubSource",
    "subSource": "track",
    "payoutValue": 4
  },
  "status": 1,
  "publisherPayout": 5.55,
  "updateAtDatetime": "2024-09-01T23:59:59.000+0200"
}

```

Update scheduler

General route: *PATCH* /manager/api/customer/v1/offer_goal_schedulers/{id}

Request header: Content-Type: application/merge-patch+json
X-AUTH-TOKEN

Request body:

Unset

```

{
  "status": 1, (1 - active, 0 - disabled, -1 - archived)
  "publisherPayout": 5.55, - new publisher payout value
}

```

```
"defaultAmount": 7.55, - new default conversion amount
"updateAtDatetime": "2024-06-14T08:04:12.890Z" (date format:
Y-m-d\TH:i:s.v0)
}
```

Only goals with payout type First and Multiple can have their payout values changed.

Delete scheduler

General route: *DELETE /manager/api/customer/v1/offer_goal_schedulers/{id}*

Request header: X-AUTH-TOKEN

PUBLISHER STATISTIC API

Retrieve Publisher Statistics

General route: *POST /manager/api/customer/v1/offer_goal_schedulers/{id}*

Request header: X-AUTH-TOKEN

Parameters: sortFields=param&sortDirection=ASC|DESC

Request body example:

Unset

```
{
  "filters": {
    "dateRange": "2025-01-01T00:00:00.000+0100 -
2025-03-01T00:00:00.000+0100",
    "country": [
      "US",
      "UK"
    ]
  }
}
```

Request parameters:

- sortFields - a field to sort the output

- sortDirection - a direction of sorting

SortFields:

Unset

```
'clicks',  
'conversions',  
'pCr',  
'epc',  
'epm',  
'groupId',  
'groupName',  
'hits',  
'net',  
'uClicks',  
'uHits',
```

Filters:

Unset

```
'dateRange', - MANDATORY  
'advertiserAccount',  
'campaignRelativeId',  
'category',  
'country',  
'device',  
'domainNameLike',  
'excludeAdvertiserAccount',  
'excludeCampaignRelativeId',  
'excludeCategory',  
'excludeCountry',  
'excludeDevice',  
'excludeDomainNameLike',  
'excludeManagerRelativeId',  
'excludeOfferPromoGroupId',  
'excludeOfferRelativeId',  
'excludePrelandRelativeId',
```

```
'excludePublisherAliasId',  
'excludePublisherRelativeId',  
'excludeSmartlink',  
'excludeSmartlinkVertical',  
'excludeSubSourceLike',  
'excludeTrafficType'
```

DateRange filter is mandatory, API won't return data without a time span specified.

Response body example:

Unset

```
{  
  "rows": [  
    {  
      "Clicks": "61",  
      "Conversions": "9",  
      "CR": 5,  
      "pEPC": 0.03,  
      "EPM": 20.66,  
      "Hits": "61",  
      "Net": 1.26,  
      "uClicks": "43",  
      "uHits": "43",  
      "publisherId": 2,  
      "username": "yellow"  
    },  
    {  
      "Clicks": "47",  
      "Conversions": "14",  
      "CR": 1,  
      "pEPC": 0.1,  
      "EPM": 41.7,  
      "Hits": "47",
```

```



        "Net": 1.96,
        "uClicks": "19",
        "uHits": "19",
        "publisherId": 1,
        "username": "blue"
    }
],
"total": {
    "Clicks": 108,
    "Conversions": 23,
    "Hits": 108,
    "Net": 3.22,
    "uClicks": 62,
    "uHits": 62,
    "CR": 3,
    "pEPC": 0.052,
    "EPM": 29.81
}
}

```


Example - request:

The screenshot displays the UCLIQ API Report interface. At the top, there's a header with the UCLIQ logo, 'UCLIQ API / Report', and buttons for 'Save' and 'Share'. Below the header, a dropdown menu is set to 'POST', and the URL is 'https://demoadmin.ucliq.com/manager/ap/customer/v1/reports/publisher?sortDirection=DESC&sortField=clicks'. A 'Send' button is to the right of the URL. Below the URL bar, there are tabs for 'Params', 'Authorization', 'Headers (11)', 'Body', 'Scripts', and 'Settings'. The 'Params' tab is active, showing a table of query parameters. The table has columns for 'Key', 'Value', and 'Description'. There are three rows of parameters, each with a checkbox in the 'Key' column. The first row has 'sortDirection' with value 'DESC'. The second row has 'sortField' with value 'clicks'. The third row is empty. Below the table, there are labels for 'Key', 'Value', and 'Description'.

Key	Value	Description
☒ sortDirection	DESC	
☒ sortField	clicks	
☐		



Example - response:



DICTIONARY API for filter values

While logged in in the Admin panel following requests to private web panel API can be used retrieve dictionary values for public API calls:

- Country list - <https://demoadmin.ucliq.com/manager/api/countries?page=1>
- Publisher list - [https://demoadmin.ucliq.com/manager/api/publishers/filter?page=1&status\[\]=1&status\[\]=2](https://demoadmin.ucliq.com/manager/api/publishers/filter?page=1&status[]=1&status[]=2)
- Offer list - [https://demoadmin.ucliq.com/manager/api/offers/filter?page=1&status\[\]=1&status\[\]=-1&status\[\]=0](https://demoadmin.ucliq.com/manager/api/offers/filter?page=1&status[]=1&status[]=-1&status[]=0)
- Smartlink list - https://demoadmin.ucliq.com/manager/api/smartlink_verticals/filter?page=1
- Tags list - <https://demoadmin.ucliq.com/manager/api/tags/filter?page=1>
- Device list - <https://demoadmin.ucliq.com/manager/api/devices?page=1>
- Categories list - <https://demoadmin.ucliq.com/manager/api/categories/filter?page=1>
- Advertiser list - <https://demoadmin.ucliq.com/manager/api/advertisers/filter?page=1>
- Manager list - https://demoadmin.ucliq.com/manager/api/users/publisher_managers?page=1

Example:

<https://demoadmin.ucliq.com/manager/api/countries?page=1>

Unset

```
{"@context": "\/manager\/api\/contexts\/Country", "@id": "\/manager\/api\/countries", "@type": "hydra:Collection", "hydra:totalItems": 256, "hydra:member": [{"@id": "\/manager\/api\/countries\/XX", "@type": "Country", "code": "XX", "name": "International"}, {"@id": "\/manager\/api\/countries\/CZ", "@type": "Country", "code": "CZ", "name": "Czechia"}, {"@id": "\/manager\/api\/countries\/DE", "@type": "Country", "code": "DE", "name": "Germany"}, {"@id": "\/manager\/api\/countries\/DK", "@type": "Country", "code": "DK", "name": "Denmark"}, {"@id": "\/manager\/api\/countries\/SE", "@type": "Country", "code": "SE", "name": "Sweden"}]}
```

```
{ "@id": "\manager\api\countries\AT", "@type": "Country", "code": "AT", "name": "Austria" },
{ "@id": "\manager\api\countries\AF", "@type": "Country", "code": "AF", "name": "Afghanistan" },
{ "@id": "\manager\api\countries\AX", "@type": "Country", "code": "AX", "name": "Åland Islands" },
{ "@id": "\manager\api\countries\AL", "@type": "Country", "code": "AL", "name": "Albania" },
{ "@id": "\manager\api\countries\DZ", "@type": "Country", "code": "DZ", "name": "Algeria" },
{ "@id": "\manager\api\countries\AS", "@type": "Country", "code": "AS", "name": "American Samoa" },
{ "@id": "\manager\api\countries\AD", "@type": "Country", "code": "AD", "name": "Andorra" },
{ "@id": "\manager\api\countries\AO", "@type": "Country", "code": "AO", "name": "Angola" },
{ "@id": "\manager\api\countries\AI", "@type": "Country", "code": "AI", "name": "Anguilla" },
...
, "popularCount": 6 }
```